

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	jp-2000127379-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 13:45
S2	616	347/71.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 08:29
S3	203	347/72.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 08:30
S4	1159830	(pressure passage) with (chamber wall room)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 10:23
S5	126	S3 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 08:31
S6	54823	(pressure passage) with (chamber wall room) with (thick\$4 height z\$2direction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 08:33
S7	44	S3 and S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 08:32
S8	64116	(pressure passage) with (chamber wall room substrate) with (thick\$4 height z\$2direction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 08:33

S9	173	S2 and S8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 09:16
S10	2	"20040130601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 09:16
S11	2283	(nozzle oriface) with plate with (curve curvilinear taper\$2 arc arch)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 09:22
S12	61079	"347"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 09:19
S13	205	S11 and S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 09:19
S14	2283	((nozzle oriface) with plate) with (curve curvilinear taper\$2 arc arch)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 09:22
S15	418	((nozzle oriface) adj plate) with (curve curvilinear taper\$2 arc arch)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 09:22
S16	154	S12 and S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 09:23
S17	1	("5963228").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/20 09:37
S18	2	("6361141").URPN.	USPAT	OR	ON	2005/04/20 09:38

S19	43310	((pressure passage) near5 (chamber wall room cavity)) with (geometry geometric shape thick\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 10:28
S20	6140	((pressure) adj (chamber wall room cavity)) with (geometry geometric shape thick\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 10:45
S21	655	S12 and S20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 10:29
S22	140	S2 and S20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 10:29
S23	3206	((pressure) adj (chamber wall room cavity)) with (curv\$3 taper\$3 curvilinear)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 10:46
S24	149	S12 and S23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 10:47
S25	38	S2 and S23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 10:47
S26	4	"6402971"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 10:58

S27	17	("4641153" "4680595" "4730197" "5126615" "5446484" "5530465" "5581861" "5637126" "5802686" "5825121" "5889352" "5923352" "5940947" "5956829" "5984458" "6019458" "6108880").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/20 10:59
S28	2	("6402971").URPN.	USPAT	OR	ON	2005/04/20 11:02
S29	10	("4418355" "4424520" "4680595" "4686539" "4695854" "4766671" "5045755" "5210455" "5281888" "5376857").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/20 11:05
S30	12	("5856837").URPN.	USPAT	OR	ON	2005/04/20 11:07
S31	6	"5880763"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 13:12
S32	3315	29/25.35,890.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 13:52
S33	3206	((pressure) adj (chamber wall room cavity)) with (curv\$3 taper\$3 curvilinear)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 13:46
S34	5957	((pressure nozzle) adj (chamber wall room cavity plate)) with (curv\$3 taper\$3 curvilinear)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 13:52
S35	26	S32 and S34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 13:46
S36	190716	(pressure nozzle) with (arc arch curv\$3 taper\$3 curvilinear)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 13:52

S37	111	S32 and S36	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 13:52
S38	211	347/72.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 16:30
S39	1180447	(pressure passage) with (chamber wall room)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 16:30
S40	133	S38 and S39	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 16:31
S41	55931	(pressure passage) with (chamber wall room) with (thick\$4 height z\$2direction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 16:32
S42	48	S38 and S41	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 16:32
S43	647	347/71.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 16:33
S44	65680	(pressure passage) with (chamber wall room substrate) with (thick\$4 height z\$2direction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 16:33

S45	186	S43 and S44	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 16:33
S46	63109	"347"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 16:34
S47	435	((nozzle oriface) adj plate) with (curve curvilinear taper\$2 arc arch)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 16:34
S48	161	S46 and S47	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 16:34
S49	647	347/71.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 06:42
S50	6365	((pressure) adj (chamber wall room cavity)) with (geometry geometric shape thick\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 06:42
S51	149	S49 and S50	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 06:42
S52	3267	((pressure) adj (chamber wall room cavity)) with (curv\$3 taper\$3 curvilinear)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 06:45

S53	39	S49 and S52	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 06:45
S54	3385	29/25.35,890.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 06:46
S55	6131	((pressure nozzle) adj (chamber wall room cavity plate)) with (curv\$3 taper\$3 curvilinear)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 06:46
S56	29	S54 and S55	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 06:48
S57	24884	(passage with (substrate cavity room chamber wall)) with (taper angle thickness)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 06:50
S58	179	347/68-72	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 06:49
S59	2953	347/68-72.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 06:51
S60	175	S57 and S59	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 06:49

S61	1611	(passage with (substrate cavity room chamber wall)) with ((taper angle thickness geometry) with (change degree alter))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 06:54
S62	14	S59 and S61	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 06:51
S63	4496	(pressure with (substrate cavity room chamber wall)) with ((taper angle thickness geometry) with (change degree alter))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 06:54
S64	41	S59 and S63	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 07:15
S65	74	passage\$2forming adj substrate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 07:16
S66	63109	"347"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 07:16
S67	57	S65 and S66	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 07:16
S68	57	S67 and thickness	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 07:19

S69	179	(layer adj thick\$4) with taper	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 07:21
S70	0	S66 and S69	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 07:20
S71	226669	((layer plate) adj thick\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 07:21
S72	7562	((layer plate) adj thick\$4) with (taper chang\$3 geometry)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 07:27
S73	9	S59 and S72	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 07:23
S74	123160	"310"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 07:23
S75	71	S72 and S74	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 07:23
S76	6	("4609427" "4789425" "5265315" "5376875" "5493320" "5555219").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/07 07:25
S77	226669	((layer plate) adj thick\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 07:27

S78	386	S59 and S77	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 07:27
-----	-----	-------------	---	----	----	------------------